

CORRIGENDUM

Addendum No. 3 dated 25.11.2016 to IFB No. CDG2555P17

This Addendum No. 3 dated 25.11.2016 to IFB No. CDG2555P17 for 'Hiring of Services for Acquisition of 100 Sq. Km of 3D Seismic Data using state of the art equipment in Baghjan area of Assam, India', is issued to amend the following clause of the tender document as under:

Srl No	Section /Clause of the Tender	Page No.	Original Clause Description	Modified Clause Description
BID EVALUATION CRITERIA (BEC)				
1	Clause 3.1.9 Page No. 24		Equipment & Accessories: The years of the vintage of equipment to be offered are specified in Annexure-II . Bidder has to submit the documentary evidence in support of the Vintage of the equipment which bidder proposes to deploy in the field for the execution of the contract. Bids shall be rejected if the equipment offered do not meet the specified requirement. Bidder must submit the Check list-1.	Equipment & Accessories: The years of the vintage of equipment to be offered are specified in Annexure-II . Bidder has to submit the documentary evidence in support of the Vintage of the equipment which bidder proposes to deploy in the field for the execution of the contract. Bids shall be rejected if the equipment offered do not meet the specified requirement. Bidder must submit the Check list-1. Note: In case bidder proposes to deploy brand new equipment, bidders need to submit along with un-priced bid, i.e. Technical bid, the original Memorandum of Understanding/Agreement of purchase of brand new equipment, concluded with the OEM/Supplier, specifically for this tender, clearly mentioning that the equipment meets the specification as specified in tender. The above MOU/Agreement must be valid through validity of the bid.

2.0 All other Terms and Conditions of the Bid Document remain unchanged.

(G C Dev Choudhury)
DGM-Contracts (HoD)
For Resident Chief Executive