



OIL INDIA LIMITED
(A Government of India Enterprises)
PO : Duliajan – 786602
Assam (India)

TELEPHONE NO. (91-374) 2808614
Email: matmmfsa@oilindia.in ; erp_mm@oilindia.in

TENDER NO. SSG2132P20/01

DATE: 09.08.2019

INVITATION TO e-BID UNDER SINGLE TWO BID SYSTEM

Dear Sirs,

OIL invites Bids for the supply of **40 KM OF 2.7/8" (73.025 MM) L-80 PREMIUM TUBINGS WITH ATTACHEMNTS AND CROSS-OVERS, API 5CT** through **E-Procurement**. The details of the tender are as under:

1. Details of items with specification, quantity and special notes are given in Technical Rfx → External area → Tender documents as Annexure - IA
2. General terms and Conditions of the tender are as per attached document No.MM/GLOBAL/E-01/2005-July2012.
3. The prescribed Bid Forms for submission of bids are available in the tender document folder. Technical Checklist and Commercial Checklist vide Annexure IV must be filled-up and submitted along with the technical bid. BEC/BRC as per Annexure CCC must be complied and submitted with the technical bid.
4. Type of Tender : International Competitive Bidding
5. Type of Bidding : **SINGLE STAGE TWO BID SYSTEM**
6. Tender Fee : NIL
7. Bid Security Amount : **INR 26,99,600.00 OR USD 38,700.00 (Or equivalent amount in any currency)**
8. Performance Security : **Applicable @10% of Order Value.**
9. Bid Closing /Opening Date : 09.10.2019
10. Bid Validity : Bid should be valid for 120 days from bid closing date.
11. Bid Bond Validity : Bid Bond should be valid up to 09.05.2020
(Bid bond format has been changed. Please submit bid bond as per revised format failing which offer will be rejected)
12. Integrity Pact: Applicable

Special Note:

- 1.0 The tender will be governed by “General Terms & Conditions” for e-Procurement as per Booklet NO. MM/GLOBAL/E-01/2005-July2012 for E-procurement (ICB Tenders) including Amendment and Addendum. Special attention to the bidders is drawn to Section – E of the document.
- 2.0 Please note that all tender forms and supporting documents are to be submitted through OIL’s e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with Tender no. and Due date to **The GM Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam** on or before **13:00 Hrs (IST)** on the Bid Closing Date mentioned in the Tender.
 - a) **Original Bid Security.**
 - b) **Detailed Catalogue.**
 - c) **Any other document required to be submitted in original as per tender requirement.**

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.

- 3.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications.
- 4.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. As part of the new system, the intending bidder must have Encryption Certificate along with Digital Signature Certificate (DSC) of Class III [Organization]. The date for implementation of new system is 12th April 2017 and the requirement of the new DSC will be applicable for the tenders floated on 12th April 2017 onwards. All our current and prospective esteemed bidders are therefore requested to acquire Class III DSC [Organization] along with Encryption Certificate issued by any of the Licensed Certifying Authorities (CA) operating under Controller of Certifying Authorities (CCA) of India as per Indian IT Act 2000. Guideline for getting Digital Signature and other related information are available on the e-tender website www.oilindia.com. The bid signed using any other digital certificate or digital certificate without organization name of the bidder, will be liable for rejection.
- 5.0 Encryption certificate is mandatorily required for submission of bid. In case bidder created response using one certificate (using encryption key) and bidder subsequently changes the digital signature certificate then the old certificate (used for encryption) is required in order to decrypt his encrypted response for getting the edit mode of his response. Once decryption is done, the bidder may use his new DSC certificate for uploading and submission of his offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of DSC certificate, Oil India Limited is not responsible.
- 6.0 The items covered by this tender shall be used by Oil India Limited in the PEL/ML areas which are issued / renewed after 01/04/99 and hence Nil Custom Duty during import will be applicable. Indigenous bidder shall be eligible for concessional rate of GST against Essentiality Certificate wherever applicable, as per Notification No.3/2017 – Integrated/ Central Tax (Rate) dated 28th June, 2017/Deemed Export Benefit against this

purchase. Details of Deemed Export are furnished vide Addendum to MM/GLOBAL/01/2005 enclosed.

7.0 Bid must be submitted electronically only through OIL's e-procurement portal. Bid submitted in any other form will be rejected.

8.0 Please refer to the "New Vendor Manual (effective 12.04.2017)" available in the login Page of the OIL's E-tender Portal.

9.0 Bidders to take special note of the following conditions:

- a) **Bidders without having E-tender Login ID and Password should complete their online registration at least seven (7) days prior to the scheduled bid closing date and time of the tender. For online registration, Bidder may visit the OIL's E-tender site <https://etender.srm.oilindia.in/iri/portal>**
- b) **Necessary Login ID & Password will be issued by OIL only after submitting the complete online registration by the Bidder. In the event of late registration/incomplete registration by Bidder, OIL INDIA LIMITED shall not be responsible for late allotment of User ID & Password and request for bid closing date extension on that plea shall not be entertained by Company.**
- c) **MSEs Units (manufacturers/Service Providers only and not their dealers/distributors) who are already registered with District Industry Centers or Khadi & Village Industries Commission or Khadi & Village Industries Board or Coir Board or National Small Industries Corporation or Directorate of Handicrafts & Handloom or any other body specified by Ministry of MSME are exempted from payment of Bid Security (EMD) irrespective of monetary limit mentioned in their registration, provided they are registered for the item they intend to quote/participate.**
- d) **For availing benefits under Public Procurement Policy (Purchase preference & EMD exemption), the interested MSE Bidders must ensure that they are the manufacturer/ service provider of tendered item(s) and registered with the appropriate authority for the said item(s). Bids without EMD shall be rejected, if the technical offer does not include a valid copy of relevant MSE Certificate issued by appropriate authority specifying the item as per tender. Therefore, it is in the interest of such MSE Vendors to furnish a copy of complete certificate to the concerned tender handling officer of OIL at least seven (7) days prior to the scheduled Bid Closing Date of the tender; seeking clarification/confirmation as to whether their registered item is eligible for EMD exemption or not. Late communication in this regard and request for bid closing date extension on that plea shall not be entertained by Company.**
- e) **Against Bid Security/EMD/Performance Bank Guarantee – Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.**

10.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. All the bidders are requested to go through the following two documents before uploading their bid. These documents are also uploaded as part of NIT.

10.1 Guidelines to Bidders for participating in OIL.

10.2 Instruction to bidder for submission.

- 11.0 Please refer **Annexure-CCC** for BEC/BRC applicable against this tender. Please ensure compliance to BEC/BRC and submit requisite documentation, failing which offer may be liable for rejection.
- 12.0 To ascertain the substantial responsiveness of the bid, OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.
- 13.0 The prices of the items should be quoted as per **Annexure -P** (uploaded under the tab “Notes & Attachment”) and uploaded separately under the tab “Notes & Attachment”.
- 14.0 In view of implementation of GST w.e.f. 01.07.2017, Bidders to note of **ANNEXURE- GST** and to submit their offers complying with the same.
- 15.0 Bidders to note that Ministry of Petroleum & Natural Gas, Government of India implemented PPLC Policy to provide Purchase Preference (linked with local content) by notification no. Ref. O-27011/44/2016-ONG-II/FP dtd.25.04.2017. A new Clause on applicability of Purchase Preference (linked with local content) policy in the tender is furnished vide **Annexure- PPLC**. Bidders are requested to take note of the same and to submit their offers accordingly wherever applicable.
- 16.0 Bidders to note that Ministry of Steel, Government of India implemented the Revised Policy for providing Preference to domestically manufactured Iron & Steel Products in Government Procurement vide Gazette Notification No. 324 dated 29.05.2019. Bidders are requested to take note of the same and to submit their offers accordingly wherever applicable. Bidders seeking benefits, under the Revised Policy for providing Preference to domestically manufactured Iron & Steel Products in Government Procurement shall have to comply with all the provisions of the referred policy and shall have to submit all undertakings / documents applicable for this policy in the technical bid.
- 17.0 **FURNISHING FRAUDULENT INFORMATION/ DOCUMENT:** If it is found that a Bidder has furnished fraudulent document/information, the Bid Security/Performance Security shall be forfeited and the party will be debarred for a period of 3(three) years from date of detection of such fraudulent act, besides the legal action. In case of major and serious fraud, period of debarment may be enhanced. **In this regard, bidders are requested to submit an Undertaking as per ANNEXURE-K alongwith their offer failing which their offer shall be liable for rejection.**

Yours Faithfully

Sd-

(SANDEEP CHAKRABORTY)
SR.PURCHASE OFFICER (FS)
FOR GM-MATERIALS

OIL INDIA LIMITED
 (A Govt. of India Enterprise)
 P.O. Duliajan-786602, Assam
 Fax No. 91-374-2800533, E-mail:material@oilindia.in

Tender No. & Date : SSG2132P20/01 02.08.2019

Tender Fee : INR 0.00 OR USD 0.00
 Bid Security Amount : INR 2,699,600.00 OR USD 38,700.00
 (or equivalent Amount in any currency)

Bidding Type : Two Bid

Bid Closing On : 09.10.2019 at 11:00 hrs. (IST)
 Bid Opening On : 09.10.2019 at 14:00 hrs. (IST)

Performance Guarantee : Applicable

OIL INDIA LIMITED invites Global tenders for items detailed below:

| Item No./ Mat. Code | Material Description | Quantity | UOM |
|------------------------|--|----------|-----|
| 10 02308080 | <p>PREMIUM CONNECTION TUBINGS</p> <p>73.025MM(2.875") OD L80 13 Cr NUE PREMIUM CONNECTION TUBINGS Brand new & unused seamless tubing with coupling, manufactured, tested and certified as per API Specs 5CT (latest edition), as detailed below</p> <p>OD: 73.025 mm (2.875 inch), Weight: 9.54 - 9.68 Kg /m (6.4 - 6.5 lbs/ft), ID (Min) : 62.00 mm (2.441 inch), Drift Diameter (min): 59.61 mm (2.347 inch), Coupling OD (Max): 88.9 mm (3.5 inch), Steel Grade: L-80 13 Cr, End : Non-upset end Length : In Range - 2, 95% of tubing with length 9.0 meter and above</p> <p>Coating : The tubing shall be coated as per API Spec. 5CT and adequately oiled to withstand sea voyage</p> <p>Thread : Tubing & coupling shall be threaded to any one of the following premium thread type, and suitable thread protector shall be provided in both ends.</p> <p>a) ATLAS BRADFORD TC-II b) Hunting Seal lock- HT c) NS-CT d) TENARIS HYDRIL 3SB e) VAM TOP f) JFE FOX g)JFE BEAR h) BGT 2 i) CBS 3</p> | 40000 | M |
| 20 02308085 | <p>"X-OVER, 73.0 mm (2.875""), VAMTOP PIN x PREMIUM PIN CROSSOVER, 73.0 mm (2.875"" OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm</p> | 8 | NO |

Tender No. & Date : SSG2132P20/01

02.08.2019

| Item No./ Mat. Code | Material Description | Quantity | UOM |
|------------------------|--|----------|-----|
| | (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), Length: 304.8-457.2 mm (12-18 inch) with suitable thread protector and following end connections only. END CONNECTION: VAM TOP PIN x PREMIUM PIN as per material code 02308080 | | |
| 30 02308088 | "X-OVER,73.0 mm (2.875"), PREMIUM BOX x API PIN CROSSOVER, 73.0 mm (2.875") OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), Length: 304.8-457.2 mm (12-18 inch) with suitable thread protector and following end connections only. Box End: PREMIUM THREAD as per material code 02308080. Pin End: API, NU | 10 | NO |
| 40 02308089 | "X-OVER,73.0 mm (2.875"), API BOX x PREMIUM PIN CROSSOVER, 73.0 mm (2.875") OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), Length: 304.8-457.2 mm (12-18 inch) with suitable thread protector and following end connections only. Pin End: PREMIUM as per material code 02308080. Box End: API, NU | 5 | NO |
| 50 02308095 | "PUP-JOINT,73.0 mm (2.875"), PREMIUM, 609.6 mm (2') PUP JOINT with coupling, 73.0 mm (2.875") OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), box up & pin down, with premium threadform as per material code 02308080 with suitable thread protector. Length of each joint: 609.6 mm (2 feet)." | 18 | NO |
| 60 02308096 | "PUP-JOINT,73.0 mm (2.875"), PREMIUM, 914.40 mm (3') PUP JOINT with coupling, 73.0 mm (2.875") OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), box up & pin down, with premium threadform as per material code 02308080 with suitable thread protector. Length of each joint: 914.40 mm (3 feet)." | 15 | NO |
| 70 02308097 | "PUP-JOINT,73.0 mm (2.875"), PREMIUM, 1524 mm (5') PUP JOINT with coupling, 73.0 mm (2.875") OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), box up & pin down, with premium threadform as per material code 02308080 with suitable thread protector. Length of each joint: 1524 mm (5 feet)." | 12 | NO |
| 80 02308098 | "PUP-JOINT,73.0 mm (2.875"), PREMIUM, 2133.5 mm (7') PUP JOINT with coupling, 73.0 mm (2.875") OD, Steel Grade: L-80 13 Cr, ID | 7 | NO |

Tender No. & Date : SSG2132P20/01

02.08.2019

| Item No./ Mat. Code | Material Description | Quantity | UOM |
|------------------------|--|----------|-----|
| | : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), box up & pin down, with premium threadform as per material code 02308080 with suitable thread protector. Length of each joint: 2133.5 mm (7 feet)." | | |
| 90 02308099 | "PUP-JOINT,73.0 mm (2.875""), PREMIUM, 2540 mm (10') PUP JOINT with coupling, 73.0 mm (2.875"" OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), box up & pin down, with premium threadform as per material code 02308080 with suitable thread protector. Length of each joint: 2540 mm (10 feet)." | 5 | NO |
| 100 02308100 | "PUP-JOINT,73.0 mm (2.875""), PREMIUM, 5080 mm (20') PUP JOINT with coupling, 73.0 mm (2.875"" OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), box up & pin down, with premium threadform as per material code 02308080 with suitable thread protector. Length of each joint: 5080 mm (20 feet)." | 3 | NO |
| 110 02308086 | "X-OVER,73.0 mm (2.875""), PREMIUM BOX x VAMTOP PIN CROSSOVER, 73.0 mm (2.875" OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), Length: 304.8-457.2 mm (12-18 inch) with suitable thread protector and following end connections only. Box End: PREMIUM THREAD as per material code 02308080. Pin End: VAM TOP | 20 | NO |
| 120 02308087 | "X-OVER, 73.0 mm (2.875""), VAMTOP BOX x PREMIUM PIN CROSSOVER, 73.0 mm (2.875" OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), Length: 304.8-457.2 mm (12-18 inch) with suitable thread protector and following end connections only. Box End: VAM TOP Pin End: PREMIUM THREAD as per material code 02308080. | 10 | NO |

Note description for item no./nos. : 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120

1) All the items i.e. Material codes 02308080, 02308085, 02308086, 02308087, 02308088, 02308089, 02308095, 02308096, 02308097, 02308098, 02308099 02308100 are to be procured from same source. Therefore, bidders are requested to quote all the items, otherwise offer will be rejected.

2) Bidders offering VAM TOP connection need not to quote materials with Material code. 02308086 & 02308087.

3) Tubing & attachments shall be brand new, unused, and of prime quality.

4) Tubing & Couplings shall be manufactured, except threading, at plants having valid API 5CT License. Bidder to confirm the name(s) of the manufacturing plant for tubing & coupling, except threading.

Tender No. & Date : SSG2132P20/01

02.08.2019

5) Bidder to submit copy of valid API Spec 5CT certificate of manufacturing plant for tubing & coupling, except threading,.

6) Threading of Tubing & Couplings shall be carried out at threading plant having valid license for premium connection. Bidder to confirm the name(s) of the threader.

7) Bidder to submit declaration from the threader for premium connection to carry out the threading for the bidder, if it is different from the bidder.

8) Bidder to submit copy of valid license of the threading plant for Premium connection.

9) Painting/Coating shall be done as per API Spec. 5CT to protect the materials from rusting while in transit/storage

10) The offer must contain detailed description of the material with connection datasheet.

11) MILL INSPECTION/CERTIFICATION : All Tubing shall be manufactured, tested and certified in accordance with the API Spec. 5CT, latest edition.

12) "PHYSICAL/CHEMICAL TESTS : The following tests shall be carried out on each heat of steel & test results thereof shall be submitted to OIL.

- i) Heat Analysis
- ii) Product Analysis
- iii) Recheck Analysis
- iv) Mill-Control Check Analysis
- v) Tensile tests
- vi) Yield strength tests
- vii) Mill control tests
- viii) Dimension and weight tests including drift and straightness."

13) While conducting the above tests if any one of them fails, retest of the same shall be carried out as per API Spec. 5CT.

14) Hydrostatic Test : Each joint of tubing & attachment shall be tested hydrostatically to the recommended pressure at the mill in accordance with the relevant API specifications.

15) Threading, gauging and thread inspection shall be done as per API 5B/relevant standard wherever applicable.

16) Non-destructive tests shall be carried out as specified in API Spec 5CT.

17) Bidders should give details of mills inspection and QC methods available. OIL may require such details in case of an order.

18) IDENTIFICATION MARKING: Marking is to be done on each item as per API Spec 5CT covering manufacturer's mark/name, API monogram, size, weight, grade, class, manufacturing process, heat treatment, test pressure, length, thread identification etc. Marking should be in metric unit.

19) Additionally, OIL's Purchase Order Number shall be die stamped or stencilled on each item for permanent bearing.

20) The colour coding shall be done as per API Spec. 5CT.

21) THIRD PARTY INSPECTION : Inspection by an independent third party to cover the following shall be required against all items.

Tender No. & Date : SSG2132P20/01

02.08.2019

- (i) Material Identification.
- (ii) Stage inspection at random visit basis during manufacturing.
- (iii) Audit and endorsement of all chemical analysis and physical test reports.
- (iv) Witness dimensional checks.
- (v) Witness mechanical tests.
- (vi) Witness NDT.
- (vii) Witness hydrostatic tests
- (viii) Visual inspection for imperfections.
- (ix) Wall thickness measurement.
- (x) Grade comparison.
- (xi) Longitudinal Defect identification
- (xii) Transverse Defect identification
- (xiii) End area defect identification.
- (xiv) Thread inspection.
- (xv) Check and verify length of each joint.
- (xvi) Issue of certificate."

22) The third party inspection is to be carried out by an internationally reputed inspection Agency. Bidders must indicate the availability of such a Third Party Inspection Agency in their area furnishing following information.

Name of the Inspecting Agency (OIL's approval has to be obtained prior to engagement except M/s. Lloyds, M/s Bureau Varitas, M/s DNV, M/s. Rites, M/s. I.R.S.).

23) All inclusive charges for Third Party Inspection per metre (to be indicated separately).

24) Proper Tally sheet (in Original) indicating length of each joint of tubing with heat number of the joint should be furnished to OIL. The Tally sheet should be duly signed & stamped by the Manufacturing Mill and will be endorsed (certified) by the third party inspection agency.

25) A soft copy of above tally sheet is to be sent in EXCEL FORMAT along with the despatch document. Bidder to confirm the same while quoting.

Standard Notes: AA . STANDARD NOTE :

1) The tender is invited under SINGLE STAGE TWO BID SYSTEM. The bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID should contain details as mentioned in the technical specifications as well as BEC/ BRC and upload the same in the Technical RFX Response-> User -> Technical Bid. Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical RFX Response-> User - > Technical Bid only. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. **The prices bid of the items should be uploaded as an attachment under Notes & Attachments tab. No price should be given in above Technical Rfx otherwise the offer will be rejected.**

2) In Technical Bid opening, only Technical Rfx will be opened. Therefore, the bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID should contain details as mentioned in the technical specifications as well as BEC/ BRC and upload the same in the Technical RFX Response-> User - > Technical Bid. No price should be given in above Technical Rfx otherwise the offer will be rejected. Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical RFX Response-> User - > Technical Bid only. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. **The prices bid of the items should be uploaded as an attachment under Notes & Attachments tab as per ANNEXURE-P.**

3) All the Bids must be Digitally Signed using "Class 3" digital certificate (e-commerce

Tender No. & Date : SSG2132P20/01 02.08.2019

application) only as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than "Class 3" digital certificate, will be liable for rejection.

4) **Bid should be valid for minimum 120 days from bid closing date, failing which offer shall be rejected.** Therefore, please ignore the minimum validity mentioned in the General Terms and Condition of Global Tender (MM/GLOBAL/E-01/2005-July 2012).

5) The original bid security (Amount is mentioned above and also in Rfx Parameters of the tender in OIL's e-portal) should reach us before bid closing date and time of the technical bid. Bid without original Bid Security will be rejected. The bidders who are exempted from submitting the Bid Bond should attach documentary evidence in the Technical RFX Response-> User - > Technical Bid as per clause 9.8 of Section A General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005- July 2012). The bid security shall be valid up to 12.07.2019.

6) **Performance Security @10% of order value, is applicable against this tender.** Please refer clause 10.0 of Section A of General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012).

7) Bidders have to indicate the minimum FOB/FCA charges in case of partial order for reduced quantity/items. In case this is not indicated specifically, the charges quoted would be prorated calculated and the same will be binding on the bidder.

8) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

9)PRICE BIDS OF ONLY THOSE BIDDERS WILL BE OPENED WHOSE OFFERS ARE FOUND TECHNO-COMMERCIALY ACCEPTABLE. THE TECHNO-COMMERCIALY ACCEPTABLE BIDDERS WILL BE INFORMED BEFORE THE OPENING OF THE "PRICE BID".

10)Bidder's response to all NIT stipulations shall clearly be defined. Bidder shall furnish specific details/specifications of all major components, systems with Make & Model, etc. Generalised response like - 'As per NIT Specifications/Technical Leaflet', 'Noted', 'Accepted' or in any similar fashion is not acceptable.

11) Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises(MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-JULY2012). Bidders are requested to take note of the same and to submit their offers accordingly.

12) Bidders to note that Ministry of Petroleum & Natural Gas, Government of India implemented PPLC Policy to provide Purchase Preference (linked with local content) by notification no. Ref. O-27011/44/2016-ONG-II/FP dtd.25.04.2017. A new Clause on applicability of Purchase Preference (linked with local content) policy in the tender is furnished vide Annexure- PPLC. Bidders are requested to take note of the same and to submit their offers accordingly wherever applicable. Bidders seeking benefits, under Purchase Preference Policy (linked with Local Content) (PP-LC) shall have to comply with all the provisions of the referred policy and shall have to submit all undertakings / documents applicable for this policy.

Tender No. & Date : SSG2132P20/01

02.08.2019

13) The tender will be governed by "General Terms & Conditions" for e-Procurement as per Booklet NO. MM/GLOBAL/E-01/2005-July2012 for E-procurement (ICB Tenders) including Amendment and Addendum. Special attention to the bidders is drawn to Section - E of the document. In addition to BRC criteria vide section -D of General Terms & Conditions for Global tenders (MM/GLOBAL/E-01/2005-JULY 2012), the BEC/BRC vide Annexure-CCC will be applicable against the tender failing which offer will be rejected.

14) The Integrity Pact is applicable against this tender. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Annexure XII of the tender document. This Integrity Pact proforma has been duly signed by OIL's competent signatory. The proforma has to be uploaded by the bidder (along with the technical bid) duly signed by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. The name of the OIL's Independent External Monitors at present are as under :

i) Shri Rajiv Mathur, IPS (Retd.)
Former Director (IB) Govt. of India
e-Mail Id: rajivmathur23@gmail.com

ii) SHRI JAGMOHAN GARG,
Ex-Vigilance Commissioner, CVC
e-Mail id : jagmohan.garg@gmail.com

15) The following points are deemed as "non-negotiable" and offer shall be rejected straightaway without seeking clarification in case of the following:

- i. Validity of bid shorter than validity indicated in the tender.
- ii. Original Bid Security not received within the stipulated date and time mentioned in the tender.
- iii. Bid security with (a) Validity shorter than the validity indicated in tender and/or (b) Bid security amount lesser than the amount indicated in the tender.
- iv. In case the party refuses to sign the Integrity Pact.

16) CONFIRMATION OF BID SECURITY / PERFORMANCE SECURITY:

a. The following clause is applicable for bid security / performance security submitted in the form of bid bond/LC. Bidders are requested to strictly comply to this clause:

"The Bank Guarantee issuing Bank branch must ensure the following:

The Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:

- (i) MT 760 / MT 760 COV for issuance of Bank Guarantee
- (ii) MT 760 / MT 767 COV for amendment of Bank Guarantee

The above message / intimation shall be sent through SFMS by the BG issuing Bank branch to HDFC Bank, Duliajan Branch, IFS Code - HDFC0002118; SWIFT Code - HDFCINBBCAL.

Branch Address: HDFC Bank Limited, Duliajan Branch, Utopia Complex, BOC Gate, Jayanagar, Duliajan, Dibrugarh, PIN - 786602."

b. The vendor shall submit to OIL the copy of SFMS message as sent by the issuing bank branch along with the original bank guarantee.

17) FURNISHING FRAUDULENT INFORMATION/ DOCUMENT: If it is found that a Bidder has

Tender No. & Date : SSG2132P20/01 02.08.2019

furnished fraudulent document/information, the Bid Security/Performance Security shall be forfeited and the party will be debarred for a period of 3(three) years from date of detection of such fraudulent act, besides the legal action. In case of major and serious fraud, period of debarment may be enhanced. **In this regard, bidders are requested to submit an Undertaking as per ANNEXURE-K alongwith their offer failing which their offer shall be rejected.**

18) Revision, clarification, addendum, corrigendum, time extension etc to the tender will be hosted on OIL website only. No separate notification shall be issued. Bidders are requested to visit OIL website regularly to keep themselves updated.

19) Bidders to note that Ministry of Steel, Government of India implemented the Revised Policy for providing Preference to domestically manufactured Iron & Steel Products in Government Procurement vide Gazette Notification No. 324 dated 29.05.2019. Bidders are requested to take note of the same and to submit their offers accordingly wherever applicable. Bidders seeking benefits, under the Revised Policy for providing Preference to domestically manufactured Iron & Steel Products in Government Procurement shall have to comply with all the provisions of the referred policy and shall have to submit all undertakings / documents applicable for this policy in the technical bid.

Special Notes : BB. SPECIAL NOTES:

1) ALL THE ITEMS ARE TO BE PROCURED FROM SAME SOURCE. BIDDERS ARE REQUESTED TO QUOTE FOR ALL THE ITEMS ELSE THEIR OFFER SHALL BE REJECTED.

2)DELIVERY REQUIREMENT:BIDDER TO QUOTE THEIR BEST DELIVERY PERIOD.

3) OIL reserves right to go for **Reverse Auction** process or may finalize the tender without Reverse Auction, if required. However, the decision to conduct Reverse Auction or not will be conveyed to short-listed bidders prior to opening of price bid.

Special Terms & Conditions and salient features for Reverse Auction are furnished in Addendum-B. The Business Rules for Reverse Auction and Process Compliance Form are given in Addendum-B. Bidders are required to sign the Business Rules for Reverse Auction and Process Compliance Form and attach this document along with the technical bid.

Reverse Auction shall be conducted without loading Anti-Dumping duty (if applicable). However, after completion of the Reverse Auction, in case of Foreign bidders who have quoted goods originating from China and on whom the Anti-Dumping Duty is applicable as on date of Reverse Auction, Anti-Dumping duty so calculated as per the Notification shall be loaded on the final CIF Landed value quoted by those Foreign bidders (with Customs Duty as applicable on the Bid Closing Date of the Tender) in the Reverse Auction. The final evaluation of the offers will be done after loading Anti-Dumping duty on the prices obtained through Reverse Auction.

4) ANTI-DUMPING DUTY:

Anti-Dumping duty is applicable against this tender.

The Clause No. 3.0 in Section-'E' (Special Terms & Conditions for Tubulars) of General Terms & Conditions for Global Tender (MM-GLOBAL/E-01-2005-July 2012) on Anti-Dumping Duty stands deleted. In its place the following clauses on "Anti-Dumping Duty" shall be applicable-

a. The Anti-Dumping Duty, if any, shall be applicable as per the latest Govt. guideline and will be payable by the bidder. Bidders are requested to note the same and quote accordingly.

Tender No. & Date : SSG2132P20/01

02.08.2019

- b. Anti-Dumping Duty shall be borne by the bidder as mentioned above. A categorical confirmation in this regard is required from the bidders along with their offer, otherwise their offer will not be considered for further evaluation.
- c. All bidders must categorically mention the country of origin of the products offered by them in their offers. In the event categorical mention of country of origin of their offered products is not made in their offer, the offer will be summarily rejected.
- d. In case of the indigenous bidders, they should note that OIL will not be liable to reimburse any amount on account of Anti-Dumping duty for the materials imported by them from People's Republic of China for execution of the contract and any Anti-Dumping Duty payable against import by them from People's Republic of China shall be to their account. Indigenous bidders are required to categorically confirm acceptance of the same in their Technical bids failing which offers will be liable for rejection.
- 5) Safe Guard Duty: Safe Guard Duty if any, shall be applicable as per the latest Govt. Guideline and will be payable by the bidder. Bidders are requested to note the same and quote accordingly.
- 6) Indigenous Bidder must indicate handling charge to the nearest Rail Head. If any Indigenous Bidder does not indicate the handling charge to the nearest rail head, their offer will be liable for rejection.
- 7) Purchase Preference are applicable against this tender. Please refer the Standard Notes in this document for the applicable clause. Also, in case of Reverse Auction, the Preference shall be exercised after the final result of Reverse Auction as per clause no. 3 above.

CC: BID EVALUATION CRITERIA/BID REJECTION CRITERIA (BEC/BRC):

In addition to Bid Rejection Criteria (BRC) mentioned in the General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012) and amendments to General Terms and Conditions for Global Tender ,Please refer Annexure-CCC for BEC/BRC applicable against this tender. Please ensure compliance.

DD) COMMERCIAL CRITERIA:

The following points are deemed as "non-negotiable" and offer shall be rejected straightaway without seeking clarification in case of the following :

- i. Validity of bid shorter than validity indicated in the tender.
- ii. Original Bid Security not received within the stipulated date and time mentioned in the tender.
- iii. Bid security with (a) Validity shorter than the validity indicated in tender and/or (b) Bid security amount lesser than the amount indicated in the tender.
- iv. In case the party refuses to sign the Integrity Pact.
- v. Offers with techno commercial bid-containing prices shall be rejected outright.
- vi. Applicable for Reverse auction tenders:
 - a) Bidders not confirming to participate in Reverse Auction.
 - b) Offers of short listed bidders, who have confirmed acceptance to OIL tender conditions on

Tender No. & Date : SSG2132P20/01 02.08.2019

reverse auction, but do not participate in Reverse Auction, irrespective of their prices quoted in SRM price bid. (In addition to rejection of bid, the bid security will also be invoked in such case). If a bidder does not want to quote any price below the ceiling price during Reverse Auction, their "Logged In" during Reverse Auction itself shall be considered as Participation.

EE. CONFIRMATION OF BID SECURITY / PERFORMANCE SECURITY:

a. The following clause is applicable for bid security / performance security submitted in the form of bid bond/LC. Bidders are requested to strictly comply to this clause:

"The Bank Guarantee issuing Bank branch must ensure the following:

The Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:

- (i) MT 760 / MT 760 COV for issuance of Bank Guarantee
- (ii) MT 760 / MT 767 COV for amendment of Bank Guarantee

The above message / intimation shall be sent through SFMS by the BG issuing Bank branch to HDFC Bank, Duliajan Branch, IFS Code - HDFC0002118; SWIFT Code - HDFCINBBCAL.

Branch Address: HDFC Bank Limited, Duliajan Branch, Utopia Complex, BOC Gate, Jayanagar, Duliajan, Dibrugarh, PIN - 786602."

b. The vendor shall submit to OIL the copy of SFMS message as sent by the issuing bank branch along with the original bank guarantee.