

OIL INDIA LIMITED

(A Government of India Enterprise)

P.O. Duliajan, Pin – 786602

Dist-Dibrugarh, Assam

CORRIGENDUM

Amendment No. 2 Dated 16.03.2016

to

Tender No. SDG9766P16/08

This Amendment No. 2 dated 16.03.2016 to **Tender No. SDG9766L16/08 for Procurement of Iron Roughnecks** is issued to notify modification in the Tender Document. The modification is given in Annexure-A to this page. All other Terms & Conditions of the Tender Document remain unaltered.

(D.Thakur)

Chief Manager (Materials)(FD)

For Head-Materials

MODIFICATION IN TECHNICAL SPECIFICATION OF TENDER NUMBER SDG9766L16/08 OF 30.12.2015 FOR SUPPLY, INSTALLATION AND COMMISSIONING OF IRON ROUGHNECKS WITH ACCESSORIES

Clause Number	Existing Description	Modified Description	Remark
5.ii (Accessories)	<p>The Hydraulic Power Unit to be provided by supplier as per the following minimum specifications:</p> <p>a) Rugged, heavy-duty skid mounted completely enclosed unit. Equipped with flame proof and weather proof AC motor, 415V, 3 phase, 50 Hz suitable for hazardous area classification of oilfields, Zone I and Gas group IIA & II B</p> <p>b) The unit shall have suitable horse power to meet torque requirements.</p> <p>c) The unit shall be equipped with suitable capacity reservoir, temperature switch, return filter, flame proof starter, cooler, remote start/stop station and a fluid level indicator.</p>	<p>The Hydraulic Power Unit to be provided by supplier as per the following minimum specifications:</p> <p>a) Rugged, heavy-duty skid mounted completely enclosed unit. Equipped with flame proof and weather proof AC motor, 415V, 3 phase, 50 Hz suitable for hazardous area classification of oilfields, Zone I and Gas group IIA & II B of Oil Mines.</p> <p>The bidder should submit copies of CIMFR certificates (UL or the equivalent certifying authority of the country of origin) & DGMS approvals for all the flameproof electric motors, starters and cable glands along with the supply. UL certification shall be considered as equivalent to CIMFR (India) certification; however DGMS (India) approval shall be binding and</p>	<p>The clause has been modified to make the requirements clearer.</p>

		<p>final for all equipments to be used in Hazardous areas as per DGMS Guidelines / Directive.</p> <p>b) The unit shall have suitable horse power to meet torque requirements.</p> <p>c) The unit shall be equipped with suitable capacity reservoir, temperature switch, return filter, flame proof starter, cooler, remote start/stop station, a fluid level indicator and 175 feet of cables (Expected distance from HPU to Iron Roughnecks is 140 feet).</p>	
--	--	---	--