

OIL INDIA LIMITED

(A Govt. Of India Enterprise) Tel :033 2230 1657, 1658
 4, India Exchange Place, Fax :91 33 2230 2596
 Kolkata-700001 E-mail :oilcalmn@oilindia.in

Tender No. & Date : KID9672L19/08 07.11.2018

Bid Security Amount : INR 0.00 OR USD 0.00
 (or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 28.12.2018 at 14:00 hrs. (IST)
 Bid Opening On : 28.12.2018 at 14:00 hrs. (IST)

Performance Guarantee : Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 99035245	Liquid filled pressure gauge, 0-40 kg/sqcm Type: Direct Reading, Glycerin Filled Mounting: Local Accuracy: +/- 1.0% of Span Dial size: 150 mm Dial colour: White black lettering Case material: SS 304 (1 mm uniform thickness) Enclosure: IP 67 Lens: Laminated safety glass lens Pressure element: C type Bourdon tube of non ferrous/316 SS Element Material: SS 316L Socket material: SS 316 L Movement: SS 304 Zero Adjustment: Externally by rotating Knob with lock screw Connection: 1/2 inch NPT(M) Connection type: Direct with bottom entry Range: 0-40 Kg/Sq.cm Operating Pressure: 30 Kg/Sq.cm Over range protection: 130 % of full scale Units: Kg/Sq.cm, psi Service: Natural Gas Certification: IS:3624-1987/EN 837-1/ASME B40.100	60	NO
20 99055699	Liquid filled pressure gauge, 0-150 kg/sqcm Type: Direct Reading, Glycerin Filled Mounting: Local Accuracy: +/- 1.0% of Span Dial size: 150 mm Dial colour: White black lettering Case material: SS 304 (1 mm uniform thickness) Enclosure: IP 67 Lens: Laminated safety glass lens Pressure element: Bourdon tube Element Material: SS 316L Socket material: SS 316 L	40	NO

Tender No. & Date : KID9672L19/08 07.11.2018

Item No./ Mat. Code	Material Description	Quantity	UOM
	Movement: SS 304 Zero Adjustment: Externally by rotating Knob with lock screw Connection: 1/2 inch NPT(M) Connection type: Direct with bottom entry Range: 0-150 Kg/Sq.cm Operating Pressure: 130 Kg/Sq.cm Over range protection: 130 % of full scale Units: Kg/Sq.cm, psi Service: Natural Gas Certification: IS:3624-1987 /EN 837-1/ASME B40.100		
30 99063252	Liquid filled pressure gauge, 0 - 10 kg/Sq. cm Type: Direct Reading : Glycerin Filled Mounting: Local Accuracy: +/- 1.0% of Span Dial size: 150 mm Dial colour: White black lettering Case material: SS 304 (1 mm uniform thickness) Enclosure: IP 67 Lens: Laminated safety glass lens Pressure element: Bourdon tube Element Material: SS 316L Socket material: SS 316 L Movement: SS 304 Zero Adjustment: Externally by rotating Knob with lock screw Connection: 1/2 inch NPT(M) Connection type: Direct with bottom entry Range: 0-10 Kg/Sq.cm Operating Pressure: 7 Kg/Sq.cm Over range protection: 130 % of full scale Units: Kg/Sq.cm, psi Service: Natural Gas	60	NO
40 99063253	Liquid filled pressure gauge, 0 - 21 kg/Sq. cm Type: Direct Reading : Glycerin Filled Mounting: Local Accuracy: +/- 1.0% of Span Dial size: 150 mm Dial colour: White black lettering Case material: SS 304 (1 mm uniform thickness) Enclosure: IP 67 Lens: Laminated safety glass lens Pressure element: Bourdon tube Element Material: SS 316L Socket material: SS 316 L Movement: SS 304 Zero Adjustment: Externally by rotating Knob with lock screw Connection: 1/2 inch NPT(M) Connection type: Direct with bottom entry Range: 0-21 Kg/Sq.cm Operating Pressure: 0-17 Kg/Sq.cm Over range protection: 130 % of full scale	60	NO

Tender No. & Date : KID9672L19/08 07.11.2018

Item No./ Mat. Code	Material Description	Quantity	UOM
	Units: Kg/Sq.cm, psi Service: Natural Gas		
50 99063254	Liquid filled pressure gauge, 0-70 kg/sqcm Type: Direct Reading, Glycerin Filled Mounting: Local Accuracy: +/- 1.0% of Span Dial size: 150 mm Dial colour: White black lettering Case material: SS 304 (1 mm uniform thickness) Enclosure: IP 67 Lens: Laminated safety glass lens Pressure element: Bourdon tube Element Material: SS 316L Socket material: SS 316 L Movement: SS 304 Zero Adjustment: Externally by rotating Knob with lock screw Connection: 1/2 inch NPT(M) Connection type: Direct with bottom entry Range: 0-70 Kg/Sq.cm Operating Pressure: 50 Kg/Sq.cm Over range protection: 130 % of full scale Units: Kg/Sq.cm, psi Service: Natural Gas Certification: IS:3624-1987/EN 837-1/ASME B40.100	30	NO
60 99073038	Pressure Gauge Type-Direct Mounting-Local Dial size-150 mm Colour-White with black numerical Case Material-Die cast aluminium Bezel Ring-Screwed Movement-SS 304 Window Material-Shatterproof Glass Enclosure-Weatherproof to IP-65 Pressure Element-Bourdon tube Element Material-SS 316 Socket material-SS 316 Accuracy- ±1 % of FSD Zero Adjustment-Micrometer Pointer Connection-1/2## NPTM Connection Location-Bottom Over Range Protection-130 % of FSD Blow Out Protection- Required Range-0-100 Kg/cm ² Maximum Medium Temperature-150°C	80	NO
70 99078099	Pressure Gauge (0 - 60 kg/Sq. cm) Type : Direct Reading Mounting : Local	150	NO

Tender No. & Date : KID9672L19/08 07.11.2018

Item No./ Mat. Code	Material Description	Quantity	UOM
	Accuracy : +/- 1.0% of FS Dial size : 6 Inch (150mm) Dial : Aluminium,Black Graduation on white background Pointer:Aluminium,Black colour micrometer zero adjustable Case material : AISI 304 SS Window: Sheet glass Blow off disc: Neoprene Pressure element : Bourdon tube Element Material : 316L SS Socket material : 316L SS Movement : AISI 304 SS Protection: IP 65 Connection : 1/2 inch NPT(M) Connection type : Direct bottom entry Range : 0-60 Kg/Sq.cm Operating Pressure : 45 Kg/Sq.cm Units : Kg/Sq.cm Service : Natural Gas		
80 99078101	Pressure Gauge (0 - 10 kg/Sq. cm) Type : Direct Reading Mounting : Local Accuracy : +/- 1.0% of FS Dial size : 6 Inch (150mm) Dial : Aluminium, Black Graduation on white background Pointer: Aluminium, Black colour micrometre zero adjustable. Case material : AISI 304 SS Window: Sheet glass Blow off disc: Neoprene Pressure element : Bourdon tube Element Material : 316L SS Socket material : 316L SS Movement : AISI 304 SS Protection: IP 65 Connection : 1/2 inch NPT(M) Connection type : Direct bottom entry Range : 0-10 Kg/Sq.cm Operating Pressure : 7 Kg/Sq.cm Units : Kg/Sq.cm Service : Natural Gas	150	NO
90 99078102	Pressure Gauge (0 - 2.5 kg/Sq. cm) Type : Direct Reading Mounting : Local Accuracy : +/- 1.0% of FS Dial size : 6 Inch (150mm) Dial : Aluminium,Black Graduation on white background Pointer:Aluminium,Black colour micrometre zero adjustable Case material : AISI 304 SS Window: Sheet glass Blow off disc: Neoprene Pressure element : Bourdon tube Element Material : 316L SS Socket material : 316L SS Movement : AISI 304 SS Protection: IP 65	150	NO

Tender No. & Date : KID9672L19/08 07.11.2018

Item No./ Mat. Code	Material Description	Quantity	UOM
	Connection : 1/2 inch NPT(M) Connection type : Direct bottom entry Range : 0-2.5 Kg/Sq.cm Operating Pressure : 1.5 Kg/Sq.cm Units : Kg/Sq.cm Service : Natural Gas		
100 99078105	Pressure Gauge (0 - 40 kg/Sq. cm) Type : Direct Reading Mounting : Local Accuracy : +/- 1.0% of FS Dial size : 6 Inch (150mm) Dial : Aluminium,Black Graduation on white background Pointer:Aluminium,Black colour micrometer zero adjustable Case material : AISI 304 SS Window: Sheet glass Blow off disc: Neoprene Pressure element : Bourdon tube Element Material : 316L SS Socket material : 316L SS Movement : AISI 304 SS Protection: IP 65 Connection : 1/2 inch NPT(M) Connection type : Direct bottom entry Range : 0-40 Kg/Sq.cm Operating Pressure : 32 Kg/Sq.cm Units : Kg/Sq.cm Service : Natural Gas	150	NO

Special Notes : 1. Bidder must be OEM or OEM authorized dealer. Bidders other than OEM must provide the letter/certificate of authorisation from OEM as their Authorized Dealer at the time of bid submission. Otherwise the offer will be rejected.

2. Quotations must be accompanied with original relevant catalogue/ literature and drawings without which the offer will be rejected.

3. Performance Guarantee is applicable against this tender. 10% of the ordered value shall be given as performance guarantee in the form of bank guarantee and shall be valid for 90 days beyond applicable warranty / guarantee / defect liability period (if any). Bidders should undertake in their bid to submit Performance Security as stated above.

A. Bidders should note that the bank guarantee issued by the bank must be routed through SFMS platform as per following details:

- (i) MT 760 / MT 760 COV for issuance of bank guarantee.
- (ii) MT 767 / MT 767 COV for amendment of bank guarantee.

The above message / intimation shall be sent through SFMS by the BG issuing bank branch to Axis Bank, Corporate Banking Branch, IFSC Code - UTIB0001164. Branch Address - AXIS Bank Ltd, Corporate Banking Branch, 3rd Floor, AC Market, 1, Shakespeare Sarani, Kolkata 700071."

B. The Bidder shall submit to OIL the copy of SFMS message as sent by the issuing bank branch along with the original bank guarantee.

4. Guarantee / Warranty certificate for 18 months from date of despatch or 12 months from the date of receipt whichever is earlier will be required along with the supply.

5. Validity of offer: 75 days from the date of tender opening. Offer with validity less than 75 days will be rejected.

6. Bidder are advised to fill up the Undertaking of authenticity of information/documents submitted (Annexure - B) along with their technical bid.

7. PAYMENT TERMS:

7.1 Payment will generally be made against completed supply. Where phased delivery is indicated in the order, payment will be made against each lot as per phasing.

7.2 In certain cases, payment to the extent of 90% maximum of the value of the supply will be made against proof of dispatch presented through Bank or to OIL directly. Balance 10% of the value will be released not later than 30 days of receipt of goods at OIL's site. Adjustments, if any, towards liquidated damage shall be made from the balance 10% payment. OIL may consider releasing 100% payment against dispatch documents for suppliers having good track record with OIL and where 10% Performance Security is submitted in time and no installation/commissioning is involved.

8. Bidders are advised to submit their prices & other relevant details in attached price bid format.

9. (A) Taxes:

I. For the purposes of levy and imposition of GST, the expressions shall have the following meanings:

- (a) GST - means any tax imposed on the supply of goods and/or services under GST Law.
- (b) Cess - means any applicable cess, existing or future on the supply of Goods and Services as per Goods and Services Tax (Compensation to States) Act, 2017.
- (c) GST Law - means IGST Act 2017, CGST Act 2017, UTGST Act, 2017 and SGST Act, 2017 and all related ancillary Rules and Notifications issued in this regard from time to time.

II. The rates quoted by the bidders shall be inclusive of all taxes, duties and levies. However, bidders are required to provide separately the rate and amount of all types of taxes, duties and levies. In case, the quoted information related to various taxes, duties and levies subsequently proves wrong, incorrect or misleading, OIL will have no liability to reimburse the difference in the duty/tax, if the finally assessed amount is on the higher side and OIL will have the right to recover the difference in case the rate of duty/ taxes finally assessed is on the lower side. Further, bidders have to clearly show the amount of GST separately in the Tax invoices. Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.

III. Offers without giving any of the details of the taxes (including rates and amounts) as specified above will be considered as inclusive of all taxes including GST. When a bidder mentions taxes as extra without specifying the rates and amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/ contracts will be binding on the bidder.

IV. Bidder is required to pass on the benefit arising out of introduction of GST, including seamless flow of Input Tax Credit, reduction in Tax Rate on inputs as well as final goods by way of reduction of price as contemplated in the provision relating to Anti-Profiteering Measure vide Section 171 of the CGST Act, 2017. Accordingly, for supplies made under GST, the bidder must

confirm that benefit of lower costs has been passed on to OIL by way of lower prices/taxes and must also provide details of the same as applicable. OIL reserves the right to examine such details about costs of inputs/input services of the bidder to ensure that the intended benefits of GST have been passed on to OIL.

V. Statutory variation (increase/decrease) of GST within the contractual delivery period will be to the account of OIL subject to documentary evidence. However, any increase in statutory levy after the expiry of the scheduled date of delivery shall be to the supplier's account.

VI. Bidder agrees to do all things but not limited to providing GST compliant Tax Invoices or other documentation as per GST law relating to the supply of goods and/or services covered in the instant contract like raising of and /or acceptance or rejection of credit notes / debit notes as the case may be, payment of taxes, timely filing of valid statutory Returns for the tax period on the Goods and Service Tax Network (GSTN), submission of general information as and when called for by OIL in the customized format shared by OIL in order to enable OIL to update its database etc. that may be necessary to match the invoices on GSTN common portal and also for claiming input tax credit in relation to any GST payable under this Contract or in respect of any supply under this Contract.

VII. In case Input Tax Credit of GST is denied to OIL or demand is recovered from OIL by the Central / State Authorities on account of any non-compliance by Bidder/Supplier, including non-payment of GST charged and recovered, the Bidder/Supplier shall indemnify OIL in respect of all such claims of tax, penalty and/or interest, loss, damages, costs, expenses and liability that may arise due to such non-compliance. OIL, at its discretion, may also withhold/recover such an amount demanded and recovered by the authorities/ state authorities from the pending payments of the Bidder/Supplier.

VIII. GST liability, if any on account of supply of free samples against any tender/purchase order (wherever applicable) shall be to bidder's/ supplier's account.

(B) Comparison of Offers:

Comparison of bids shall be done on the basis of " Total FOR DESTINATION VALUE" quoted by the bidders against each individual item as per Price Bid format given in Annexure-A. Therefore, bidders are required to submit prices as per said price bid format.

(C) Price Bid Format: attached as per Annexure-A.

Tender No. : KID9672L19/08
Tender Date : 07.11.2018
Bid Closing On : 28.12.2018 at 14:00 hrs.(IST)
Bid Opening On : 28.12.2018 at 14:00 hrs.(IST)

Tender issued to following parties only:

Slno	V_Code	Vendor Name	City/Country
1	200580	BELLS CONTROLS LTD.	KOLKATA
2	200834	INDUSTRIAL INSTRUMENTATION	KOLKATA
3	200926	MANOMETER (INDIA) PVT.LTD.	MUMBAI
4	201006	PEEJEE ENGINEERING WORKS	KOLKATA
5	201027	PROCON CONTROLS PVT. LTD.	KOLKATA
6	201151	TOSHNIWAL ENTERPRISES	KOLKATA
7	201541	A N INSTRUMENTS PVT LTD	KOLKATA
8	201813	JOST'S ENGINEERING COMPANY LTD	MUMBAI
9	201949	ODIN INDIA PRIVATE LIMITED	CHENNAI
10	202627	PROTECH CONTROL INSTRUMENTS	KOLKATA
11	202814	SREE GURU INSTRUMENTS & APPLIANCES	KOLKATA
12	203940	ALTOP INDUSTRIES LTD.	VADODARA
13	204333	ABB LIMITED	KOLKATA
14	204574	WIKA INSTRUMENTS INDIA PVT LTD	KOLKATA
15	204700	BAUMER TECHNOLOGIES INDIA PVT. LTD.	MUMBAI
16	204743	WIKA INSTRUMENTS INDIA PVT LTD	PUNE
17	206754	Y2K INSTRUMENTS	KOLKATA
18	207862	PRECISION MASS PRODUCTS PVT. LTD.	Kalol
19	208480	GAUGES BOURDON (INDIA) PVT.LTD	MUMBAI
20	212077	WAAREE ENERGIES LTD	KOLKATA
21	212152	GOA INSTRUMENTS INDUSTRIES PVT LTD	MAPUSA
22	212617	MICRO PROCESS CONTROLS	CHHATRAL
23	212862	WAAREE INSTRUMENTS LIMITED	MUMBAI