



OIL INDIA LIMITED
(A Govt. of India Enterprise)
P.O. Duliajan – 786602, Assam

Telephone No. (91-374) 2808705

Fax No: (91-374) 2800533

Email: tushar_dutta@oilindia.in; erp_mm@oilindia.in

Tender No. & Date	:	SDG 0971L19/08 dated: 29.03.2019
Tender Fee	:	Not Applicable
Bid Security Amount	:	INR 135,200.00 OR USD 1,930.00
Bidding Type	:	SINGLE STAGE TWO BID SYSTEM
Bid Closing on	:	08.05.2019 (at 11.00 Hrs. IST)
Bid Opening on	:	08.05.2019 (at14.00 Hrs. IST)
Bid Validity	:	Bid should be valid for 120 days from bid closing date.
Bid Bond Validity	:	Bid Bond should be valid up to 31.12.2019
Performance Guarantee	:	Applicable @ 10% of Order value
Integrity Pact	:	Applicable
List of Annexures Applicable	:	Annexure - I: Specifications, General & Special notes to bidders Annexure- II: Check List (Commercial) Annexure-III: Certificate of Annual Turnover & Net Worth Annexure-IV: Technical Evaluation Matrix (Technical Specs.) Format-A : No Deviation Confirmation Annexure-K : Format of undertaking by Bidders towards submission of authentic information/ documents

AA:: SPECIFICATION & QUANTITY OF THE ITEMS TO BE PROCURED

ITEM NO.	MATERIAL DESCRIPTION	Quantity
10	<p>A. Standard Rotary Tap - 01 number</p> <p>Standard (Plain) Rotary Taper Tap as per the following minimum specification:</p> <ol style="list-style-type: none"> 1. Rotary Taper Taps should be furnished with hardened wickers, designed to engage even the most difficult fish. 2. The wickers should be fluted type 3. Outside Diameter of Largest Wicker: 2.50 inches (63.50 mm) 4. Outside Diameter of Smallest Wicker: 1.00 inches (25.40 mm) 5. Length of Wickers: 36 inches (914.40 mm) 6. Tong Space: 12 inches (304.80 mm) 7. Taper per foot to be as per manufacturer's design 8. Watercourse to be provided as per manufacturer's design 9. Fish Neck Outside Diameter: 3.3/4 inches 10. Top Thread Connection: 2.7/8 inches API Regular <p>B. Standard Rotary Tap - 01 number</p> <p>Standard (Plain) Rotary Taper Tap as per the following minimum specification:</p> <ol style="list-style-type: none"> 1. Rotary Taper Taps should be furnished with hardened wickers, designed to engage even the most difficult fish. 2. The wickers should be fluted type 3. Outside Diameter of Largest Wicker: 3.50 inches (88.90 mm) 4. Outside Diameter of Smallest Wicker: 2.50 inches (63.50 mm) 	02 Nos.

	<p>5. Length of Wickers: 36 inches (914.40 mm)</p> <p>6. Tong Space: 12 inches (304.80 mm)</p> <p>7. Taper per foot to be as per manufacturer's design</p> <p>8. Watercourse to be provided as per manufacturer's design</p> <p>9. Fish Neck Outside Diameter: 3.3/4 inches</p> <p>10. Top Thread Connection: 2.7/8 inches API Regular</p>	
20	<p>A. Standard Rotary Tap - 01 number</p> <p>Standard (Plain) Rotary Taper Tap as per the following minimum specification:</p> <p>1. Rotary Taper Taps should be furnished with hardened wickers, designed to engage even the most difficult fish.</p> <p>2. The wickers should be fluted type</p> <p>3. Outside Diameter of Largest Wicker: 4.00 inches (101.60 mm)</p> <p>4. Outside Diameter of Smallest Wicker: 2.00 inches (50.80 mm)</p> <p>5. Length of Wickers: 36 inches (914.40 mm)</p> <p>6. Tong Space: 12 inches (304.80 mm)</p> <p>7. Taper per foot to be as per manufacturer's design</p> <p>8. Watercourse to be provided as per manufacturer's design</p> <p>9. Fish Neck Outside Diameter: 6.1/2 inches</p> <p>10. Top Thread Connection: 4.1/2 inches API IF (NC-50)</p> <p>B. Standard Rotary Tap - 01 number</p> <p>Standard (Plain) Rotary Taper Tap as per the following minimum specification:</p> <p>1. Rotary Taper Taps should be furnished with hardened wickers, designed to engage even the most difficult fish.</p>	02 Nos.

	<p>2. The wickers should be fluted type</p> <p>3. Outside Diameter of Largest Wicker: 6.50 inches (165.10 mm)</p> <p>4. Outside Diameter of Smallest Wicker: 4.00 inches (101.60 mm)</p> <p>5. Length of Wickers: 36 inches (914.40 mm)</p> <p>6. Tong Space: 12 inches (304.80 mm)</p> <p>7. Taper per foot to be as per manufacturer's design</p> <p>8. Watercourse to be provided as per manufacturer's design</p> <p>9. Fish Neck Outside Diameter: 6.1/2 inches</p> <p>10. Top Thread Connection: 4.1/2 inches API IF (NC-50)</p>	
30	<p>A. Wire Line Spear - 04 numbers</p> <p>Standard Wire Line Spear as per the following minimum specification:</p> <p>1. The Wire Line Spear should feature a centre prong extending downwards. Pointed barbs should be welded to the prong so that hooks are formed in order to catch the looped end of any broken wire.</p> <p>2. The Wire Line Spear should also feature a Stop Ring (Outside Diameter: 4.25 inches), fitted to the prong.</p> <p>3. The diameter of the prong ends of the Spear to be just below the diameter of the Stop Ring.</p> <p>4. Watercourse to be provided as per manufacturer's design.</p> <p>5. Neck Outside Diameter: 3.3/4 inches</p> <p>6. Top Thread Connection: 2.7/8 inches API Regular</p>	04 Nos.

40	<p>A. Wire Line Spear - 02 numbers</p> <p>Standard Wire Line Spear as per the following minimum specification:</p> <ol style="list-style-type: none"> 1. The Wire Line Spear should feature a centre prong extending downwards. Pointed barbs should be welded to the prong so that hooks are formed in order to catch the looped end of any broken wire. 2. The Wire Line Spear should also feature a Stop Ring (Outside Diameter: 8.0 inches), fitted to the prong. 3. The diameter of the prong ends of the Spear to be just below the diameter of the Stop Ring. 4. Watercourse to be provided as per manufacturer's design. 5. Neck Outside Diameter: 6.1/2 inches 6. Top Thread Connection: 4.1/2 inches API IF (NC-50) 	02 Nos.
----	--	---------

BB:: SPECIAL NOTES TO BIDDERS:

1. The items shall be brand new, unused & of prime quality. The manufacturer shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications. This clause shall be valid for 18 months from date of despatch or 12 months from the date of commissioning whichever is earlier. The defective materials, if any, rejected by OIL shall be replaced by the supplier at their own expense. Bidders must confirm the same in their quotations.
2. Threading and gauging of the rotary shoulder connections of Rotary Taper Taps and Wire Line Spears should be as per API Spec.7-1 [latest edition]. Valid API Spec. 7-1 certificate should be forwarded with the bid.
3. The Bidder should indicate the name of the manufacturer, the country of origin and port of dispatch of the materials.
4. The bidder must specify the offered item in details & should forward relevant product catalogue of the offered item.
5. Any deviation(s) from the tender specification should be clearly highlighted specifying justification in support of deviation.
6. Bidder to sign and submit completely filled up Evaluation Matrix for Technical specification.
7. The bidder may quote either for any one of the items or for all of the items.
- 8.0 In case the bidder is an authorized distributor / dealer / supply house of any Original Equipment manufacturer (OEM), then bidder must furnish the following documents:

- 8.1 Authorization certificate cum warranty backup from the manufacturer in original on manufacturer's letter head should be submitted along with the offer. This certificate valid at the time of bidding and should remain valid during the entire execution period of the order. The concerned manufacturer should also guarantee of supplying the items to the bidder in the event of an order on the bidder.
- 9.1 Bidder in case of Original Equipment Manufacturers (OEM) should categorically confirm in the technical bid a delivery schedule within Sixteen (16) weeks, FOB Port of dispatch, after establishment of letter of credit (in case of foreign bidder) or for dispatch of the equipment within Sixteen (16) weeks after receipt of formal order (in case of indigenous bidder) failing which their offer will be rejected.
- 9.2 Bidder in case of authorized distributor / dealer / supply house of any Original Equipment Manufacturer (OEM) should categorically confirm in the technical bid a delivery schedule within Sixteen (16) weeks, FOB Port of dispatch, after establishment of letter of credit (in case of foreign bidder) or for dispatch of the equipment within Sixteen (16) weeks after receipt of formal order (in case of indigenous bidder) failing which their offer will be rejected.

CC:: GENERAL NOTES TO BIDDERS:

Sl No	Clause description				
1.0	The tender will be governed by "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) including Amendments & Addendum to "General Terms & Conditions" for e-Procurement.				
2.0	Bid Security/EMD/Performance Bank Guarantee – Must be paid either through online mode or Submission of Bank Guarantee/LC only. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.				
3.0	Bid must be submitted online through OIL's e-procurement portal. Bid submitted in any other form will be rejected.				
4.0	Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribing tender no. and due date to The GM Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam on or before 13:00 hrs (IST) on the Bid Closing Date mentioned in the Tender. a) Any documents which have been particularly asked for in this tender for submission.				
5.0	The tender is invited under SINGLE STAGE-TWO BID SYSTEM . The bidder has to submit both the " TECHNO-COMMERCIAL UNPRICED BID " and " PRICED BID " through electronic form in the OIL's e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. The "Techno-commercial Unpriced Bid" shall contain all technical and commercial details except the prices which shall be kept blank. Details of prices as per Bid format / Commercial bid to be uploaded as attachment in the Attachment Tab "Notes and Attachments". Any offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria mentioned in the tender. <table border="1" data-bbox="260 1944 1422 2042"> <tr> <td>Notes and Attachments</td> <td>→ Only Price Details Should Be Uploaded</td> </tr> <tr> <td>Technical attachments</td> <td>→ All technical bid documents except price details</td> </tr> </table>	Notes and Attachments	→ Only Price Details Should Be Uploaded	Technical attachments	→ All technical bid documents except price details
Notes and Attachments	→ Only Price Details Should Be Uploaded				
Technical attachments	→ All technical bid documents except price details				

Please do refer **“NEW INSTRUCTION TO BIDDER FOR SUBMISSION”** for the above two points and also please refer **“ New Vendor Manual (effective 12.04.2017) ”** available in the login Page of the OIL’s E-tender Portal.



Click here for the New Manual & Instruction

6.0	Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before the bid closing date and time failing which the offer shall be rejected.
7.0	Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.
8.0	Please mention clearly in your quotation the Net. Weight, Gross Weight & Volume, Indian Agent's Name and its Commission, Payment Terms, Ocean Freight/Air Freight Charges, Port of Loading, Delivery period, Country of origin with manufacturer's name, etc.
9.0	Other terms and conditions of the tender shall be as per “General Terms & Conditions” for e- Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders). However, if any of the Clauses of the Bid Rejection Criteria (BRC) / Bid Evaluation Criteria (BEC) mentioned here contradict the Clauses in the “General Terms & Conditions” for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) of the tender and/or elsewhere, those mentioned in this document shall prevail.
10.0	All the Bids must be Digitally Signed using “Class 3 [Organization]” digital certificate (e-commerce application) only as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than “Class 3[Organization]” digital certificate, will be liable for rejection.
11.0	Please do refer the User Manual provided on the portal on the procedure How to create Response for submitting offer. "In order to bid for OIL e-tenders all the vendors are required to obtain a legally valid Digital Certificate Class III [Organization] along with Encryption Certificate as per Indian IT Act from the licensed Certifying Authorities (CA) operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. Digital Signature Certificate comes in a pair of Signing/verification and Encryption/decryption certificate. Bidder should have both the Signing/verification and Encryption/Decryption certificate for Signing and encryption, decryption purpose respectively. The driver needs to be installed once, without which the DSC will not be recognized. While participating on e-Tendering the DSC token should be connected to your system. Encryption certificate is mandatorily required for submission of bid. In case bidder created response with one certificate (using encryption key) and bidder change his

	Digital Signature Certificate then old certificate (used for encryption) is required in order to decrypt his encrypted response for getting the edit mode of the response. Once decryption is done, bidder may use new DSC certificate for uploading and submission of their offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of the certificate, OIL INDIA LTD is not responsible."
12.0	The items shall be brand new, unused & of prime quality. The manufacturer shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications. This clause shall be valid for a period of 18 months from the date of dispatch or 12 months from the date of receipt at destination, whichever is earlier. The defective materials, if any, rejected by OIL shall be replaced by the supplier at their own expense. Bidders must confirm the same in their quotations.
13.0	Any deviation(s) from the tender specification should be clearly highlighted specifying justification in support of deviation.
14.0	Original Bid Closing Date shall be considered by OIL for evaluation, in case of any extension of the original bid closing date.
15.0	Bidder to sign and submit completely filled up Commercial check lists.
16.0	Payment terms: Refer to "General Terms & Conditions" for e- Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders)
17.0	Liquidated Damage: Refer to "General Terms & Conditions" for e- Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders). In case of deduction of LD, LD amount will be deducted along with applicable rate of GST.
18.0	<p>The Integrity Pact is applicable against this tender .OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Annexure XII of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit Integrity Pact with the offer, their bid shall be rejected straightway. OIL's Independent External Monitors at present are as under:</p> <p>SHRI RAJIV MATHUR, IPS (Retd.), Former Director (IB) Govt. of India e-Mail ID : rajivmathur23@gmail.com</p> <p>SHRI SATYANANDA MISHRA, IAS(Retd.) Former Chief Information Commissioner & Ex-Secretary, DOPT, Govt. of India E-mail Id : satyanandamishra@hotmail.com</p> <p>SHRI JAGMOHAN GARG, Ex-Vigilance Commissioner, CVC e-Mail id : jagmohan.garg@gmail.com</p>
19.0	<p>The items covered by this enquiry shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Customs Duty during import will be applicable. Indigenous bidder shall be eligible for concessional rate of GST against Essentiality Certificate for invoice valuing 01 lakh and above.</p> <p>In the event of an order on indigenous bidder, OIL will issue Project Authority Certificate (PAC) under Deemed Export, where import content is declared by the bidder for availing Custom Duty benefit on the import content.</p> <p>Supplier shall arrange to provide all necessary documents to apply for the essentiality certificate on receipt of request from OIL, if any. Further, supplier</p>

shall affect dispatch only on receipt of relevant certificates from OIL, failing which all related liabilities shall be to Supplier's account.

20.0 Bidders are required to submit the summary of the prices in their price bids as per bid format (Summary), given below **(strike out whichever is not applicable)**

(i) Price Bid Format (SUMMARY) for Foreign Bidders:

- (A) Basic Material Value (to indicate HSN code):**
- (B) Pre-despatch Inspection Charges, if any:**
- (C) Packing & FOB charges:**
- (D) FOB Value, A+B+C:**
- (E) Ocean Freight Charges upto Kolkata, India:**
- (F) Banking & Insurance, @1.5% of D :**
- (G) CIF Landed Value, D+E+F :**
- (H) IGST @ 5% on G:**
- (I) Compensatory Cess, if any:**
- (J) CIF+GST Landed Value, G+H+I :**
- (K) Training Charges, if any:**
- (L) Applicable rate of GST charges on K:**
- (M) Installation & Commissioning Charges:**
- (N) Applicable rate of GST charges on M:**
- (O) AMC Charges, if any:**
- (P) Applicable rate of GST charges on O:**
- (Q) Cost of AMC operational/maintenance spares, if any:**
- (R) Applicable rate of GST charges on Q :**
- (S) Total, J+K+L+M+N+O+P+Q+R:**
- (T) Total Value in words :**
- (U) Gross Weight:**
- (V) Gross Volume :**

(ii) Price Bid Format (SUMMARY) for Indigenous Bidders:

- (A) Basic Material Value (to indicate HSN code):**
- (B) Pre-despatch Inspection Charges, if any:**
- (C) Packing & Forwarding charges, if any:**
- (D) Total Ex-Works Value, A+B+C:**
- (E) Applicable rate of GST on D:**
- (F) Compensatory Cess, if any:**
- (G) Total FOR Despatching Station Value, D+E+F:**
- (H) Inland Freight Charges upto Duliajan, Assam including GST :**
- (I) Transit Insurance Charges, if any including GST:**
- (J) Training Charges, if any:**
- (K) Applicable rate of GST on J:**
- (L) Installation & Commissioning Charges, if any:**
- (M) Applicable rate of GST on L:**
- (N) AMC Charges, if any:**
- (O) Applicable rate of GST on N:**
- (P) Cost of AMC operational/maintenance spares, if any:**
- (Q) Applicable rate of GST on P:**
- (R) Total, G+H+I+J+K+L+M+N+O+P+Q:**
- (S) Total Value in words :**
- (T) Gross Weight:**
- (U) Gross Volume:**
- (V) Import Content, if any:**

21.0 **Clauses related to GST**

1. For the purposes of levy and imposition of GST, the expressions shall have the following meanings:
 - (a) GST - means any tax imposed on the supply of goods and/or services under GST Law.
 - (b) Cess – means any applicable cess, existing or future on the supply of Goods and Services as per Goods and Services Tax (Compensation to States) Act, 2017.
 - (c) GST Law - means IGST Act 2017, CGST Act 2017, UTGST Act, 2017 and SGST Act, 2017 and all related ancillary Rules and Notifications issued in this regard from time to time.
2. The rates quoted by the bidders shall be inclusive of all taxes, duties and levies. However, bidders are required to provide separately the rate and amount of all types of taxes, duties and levies. In case, the quoted information related to various taxes, duties & levies subsequently proves wrong, incorrect or misleading, OIL will have no liability to reimburse the difference in the duty/ tax, if the finally assessed amount is on the higher side and OIL will have to right to recover the difference in case the rate of duty/ taxes finally assessed is on the lower side. Further, bidders have to clearly show the amount of GST separately in the Tax Invoices. Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.
3. Offers without giving any of the details of the taxes (Including rates and amounts) as specified above will be considered as inclusive of all taxes including GST. When a bidder mentions taxes as extra without specifying the rates & amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/ Contracts will be binding on the bidder.
4. Bidders are required to pass on the benefit arising out of introduction of GST, including seamless flow of Input Tax Credit, reduction in Tax Rate on inputs as well as final goods by way of reduction of price as contemplated in the provision relating to Anti-Profitteering Measure vide Section 171 of the CGST Act, 2017. Accordingly, for supplies made under GST, the bidders should confirm that benefit of lower costs has been passed on to OIL by way of lower prices/taxes and also provide details of the same as applicable. OIL reserves the right to examine such details about costs of inputs/input services of the bidders to ensure that the intended benefits of GST have been passed on to OIL.
5. Oil India Ltd. shall declare the value of free issue of materials and services, if any, involved in the execution of the contract. The Contractor should consider the same while working out the GST liability, if any. Further in cases where GST is leviable on any facilities provided by OIL and used by bidders and the consideration for which is recovered by OIL in the form of reduction in the invoice raised by bidders then OIL will raise GST invoices on such transactions and the same will be reimbursed by bidders.
6. **When Input tax credit is available for Set Off**

Evaluation of L-1 prices shall be done based on Quoted price after deduction of Input Tax Credit (ITC) of GST, if available to OIL. OIL shall evaluate the offers on the basis of the quoted rates only and any claim subsequently by the bidders for additional payment/liability shall not be admitted and has to be borne by the bidders

When Input tax credit is NOT available for Set Off

Evaluation of L-1 prices shall be done based on Quoted price only. OIL shall evaluate the offers on the basis of the quoted rates only and any claim subsequently by the bidders for additional payment/liability shall not be admitted and has to be borne by the bidders
7. Bidders agree to do all things not limited to providing GST compliant Tax Invoices or

	<p>other documentation as per GST law relating to the supply of goods and/or services covered in the instant contract like raising of and /or acceptance or rejection of credit notes / debit notes as the case may be, payment of taxes, timely filing of valid statutory Returns for the tax period on the Goods and Service Tax Network (GSTN), submission of general information as and when called for by OIL in the customized format shared by OIL in order to enable OIL to update its database etc. that may be necessary to match the invoices on GSTN common portal and enable OIL to claim input tax credit in relation to any GST payable under this Contract or in respect of any supply under this Contract.</p> <p>8. In case Input Tax Credit of GST is denied or demand is recovered from OIL by the Central / State Authorities on account of any non-compliance by bidders, including non-payment of GST charged and recovered, the Vendor/Supplier/Contractor shall indemnify OIL in respect of all claims of tax, penalty and/or interest, loss, damages, costs, expenses and liability that may arise due to such non-compliance. OIL, at its discretion, may also withhold/recover such disputed amount from the pending payments of the bidders.</p>
22.0	<p>Along with the technical bid, bidders must submit duly filled undertaking as per format provided vide Appendix-K as undertaking towards submission of authentic information/documents.</p>
23.0	<p>For convenience of the qualified Bidders and to improve transparency, the rates/costs quoted by bidders against OIL's e-tenders shall be available for online viewing by such Bidders whose price bids are opened by Company. A Bidder can view item-wise rates/costs of all other such peer bidders against the tender immediately after price bid opening, if the e-tender is floated by Company with PRICE CONDITION. In case the Price-Bid is invited by Company through attachment form under "Notes & Attachment" (i.e., NO PRICE Condition), Bidders must upload their detailed Price-Bid as per the prescribed format under "Notes & Attachment", in addition to filling up the "Total Bid Value" Tab taking into account the cost of all individual line items and other applicable charges like freight, tax, duties, levies etc. Under NO PRICE Condition (i.e., Price Bid in attachment form), the "Total Bid Value" as calculated & quoted by the Bidder shall only be shared amongst the eligible bidders and Company will not assume any responsibility whatsoever towards calculation errors/ omissions therein, if any. Notwithstanding to sharing the "Total Bid Value" or the same is whether filled up by the Bidder or not, Company will evaluate the cost details to ascertain the inter-se-ranking of bidders strictly as per the uploaded attachment and Bid Evaluation Criteria only. Online view of prices as above shall be available to the Bidders only upto seven days from the date of Price-Bid opening of thee-tender.</p>

CHECK LIST

THE CHECK LIST MUST BE COMPLETED AND RETURNED WITH YOUR OFFER. PLEASE ENSURE THAT ALL THESE POINTS ARE COVERED IN YOUR OFFER. THESE WILL ENSURE THAT YOUR OFFER IS PROPERLY EVALUATED. PLEASE SELECT "Yes" OR "No" TO THE FOLLOWING QUESTIONS, IN THE RIGHT HAND COLUMN.

A.COMMERCIAL

<u>Sl#</u>	<u>REQUIREMENT</u>	<u>COMPLIANCE</u>
1.0	Whether bid submitted under Single Stage Two Bid System?	Yes / No
2.0	Whether quoted as manufacturer?	Yes / No
3.0	Whether ORIGINAL Bid Bond (not copy of Bid Bond) as per Revised Format(Annexure VII Revised) Sent separately? If YES, provide details	Yes / No
	(a) Amount :	
	(b) Name of issuing Bank :	
	(c) Validity of Bid Bond :	
4.0	Whether offered firm prices ?	Yes / No
4.1	Whether quoted offer validity of 120 days from the bid closing date of tender?	Yes / No
4.2	Whether quoted a firm delivery period?	Yes / No
4.3	Whether agreed to the NIT Warranty clause?	Yes / No
4.4	Whether confirmed acceptance of Payment Terms as per NIT?	Yes / No
5.0	Whether confirmed to submit PBG as asked for in NIT?	Yes / No
5.1	Whether agreed to submit PBG within 30 days of placement of order?	Yes / No
6.0	Whether Price submitted as per Price Schedule?	Yes / No
7.0	Whether quoted as per NIT (without any deviations)?	Yes / No
7.0	Whether quoted any deviation?	Yes / No
7.1	Whether deviation separately highlighted?	Yes / No
8.0	Whether indicated the country of origin for the items quoted?	Yes / No
8.1	Whether technical literature / catalogue enclosed?	Yes / No
8.2	Whether weight & volume of items offered indicated?	Yes / No
9.0	For Foreign Bidders - Whether offered FOB / FCA port of despatch including sea / air worthy packing & forwarding?	Yes / No
9.1	For Foreign Bidders – Whether port of shipment indicated. To specify:	Yes / No
9.2	For Foreign Bidders only - Whether indicated ocean freight up to Kolkata port (Excluding marine insurance) ?	Yes / No
9.3	Whether Indian Agent applicable ?	Yes / No
	If YES, whether following details of Indian Agent provided?	
	(a) Name & address of the agent in India – To indicate	
	(b) Amount of agency commission – To indicate	

	(c) Whether agency commission included in quoted material value?	
10.0	For Indian Bidders – Whether indicated the place from where the goods will be dispatched. To specify :	Yes / No
10.1	For Indian Bidders – Whether road transportation charges up to Duliajan quoted?	Yes / No
10.2	For Indian Bidders only - Whether offered Ex-works price including packing/forwarding charges?	Yes / No
10.3	For Indian Bidders only - Whether indicated import content in the offer?	Yes / No
10.4	For Indian Bidders only - Whether offered Deemed Export prices?	Yes / No
10.5	For Indian Bidders only – Whether all applicable Taxes & Duties have been quoted?	Yes / No
11.0	Whether all BRC/BEC clauses accepted ?	Yes / No
12.0	Whether Integrity Pact with digital signature uploaded?	Yes / No
12.1	Whether all the clauses in the Integrity Pact have been accepted?	Yes / No

B. TO BE FILLED UP IN DETAIL:

S1 No	Requirement	Bidder's Reply
01	Make and Model of the Items	
02	Bid validity	
03	Payment Terms	
04	Guarantee/Warranty Terms	
05	Delivery Period	
08	Port of Despatch / Despatching Station	
09	Confirm submission Integrity pact, if required as per NIT	
10	Confirm submission PBG, if required as per NIT	
11	Compliance to: a) Liquidated Damage b) Warranty/Guarantee c) Arbitration/Resolution of Dispute d) Force Majeure e) Applicable laws	

12	Exception/Deviations quoted, if any, to be given in details or refer to respective page of the bid documents	
----	--	--

Signature _____

Name _____

Designation _____



CERTIFICATE OF ANNUAL TURNOVER & NET WORTH

TO BE ISSUED BY PRACTISING **CHARTARD ACCOUNTANTS' FIRM** ON THEIR LETTER HEAD

TO WHOM IT MAY CONCERN

This is to certify that the following financial positions extracted from the audited financial statements of M/s.....(Name of the bidder) for the last three (3) completed accounting years upto..... **(as the case may be)** are correct

YEAR	TURN OVER In INR (Rs.) Crores/ US \$ Million) *	NET WORTH In INR (Rs.) Crores / US \$ Million) *

*Rate of conversion (if used any): USD 1.00 = INR

Place:

Date:

Seal

Membership No:

Registration Code:

Signature

***Applicable only for GLOBAL tenders**

**TECHNICAL EVALUATION MATRIX
(TO BE FILLED IN BY BIDDER DULY SIGNED)**

TECHNICAL SPECIFICATIONS

Clause Number	DESCRIPTION	BIDDER'S RESPONSE (Complied / Not Complied / Deviation / Not Applicable)	TO BE FILLED BY THE BIDDER Relevant Location of their Bid to support the remarks / compliance (Reference of Document name / Serial number / Page number of bid for documentary evidence)
Clause A (Item Number 10)	<p><u>Standard Rotary Tap – 01 number</u></p> <p>Standard (Plain) Rotary Taper Tap as per the following minimum specification:</p> <ol style="list-style-type: none"> 1. Rotary Taper Taps should be furnished with hardened wickers, designed to engage even the most difficult fish. 2. The wickers should be fluted type 3. Outside Diameter of Largest Wicker: 2.50 inches (63.50 mm) 4. Outside Diameter of Smallest Wicker: 1.00 inches (25.40 mm) 5. Length of Wickers: 36 inches (914.40 mm) 6. Tong Space: 12 inches (304.80 mm) 7. Taper per foot to be as per manufacturer's design 		

	<p>8. Watercourse to be provided as per manufacturer's design</p> <p>9. Fish Neck Outside Diameter: 3.3/4 inches</p> <p>10. Top Thread Connection: 2.7/8 inches API Regular</p>		
<p>Clause B (Item Number 10)</p>	<p><u>Standard Rotary Tap – 01 number</u></p> <p>Standard (Plain) Rotary Taper Tap as per the following minimum specification:</p> <p>1. Rotary Taper Taps should be furnished with hardened wickers, designed to engage even the most difficult fish.</p> <p>2. The wickers should be fluted type</p> <p>3. Outside Diameter of Largest Wicker: 3.50 inches (88.90 mm)</p> <p>4. Outside Diameter of Smallest Wicker: 2.50 inches (63.50 mm)</p> <p>5. Length of Wickers: 36 inches (914.40 mm)</p> <p>6. Tong Space: 12 inches (304.80 mm)</p> <p>7. Taper per foot to be as per manufacturer's design</p> <p>8. Watercourse to be provided as per manufacturer's design</p> <p>9. Fish Neck Outside Diameter: 3.3/4 inches</p> <p>10. Top Thread Connection: 2.7/8 inches API Regular</p>		
<p>Clause A (Item Number 20)</p>	<p><u>Standard Rotary Tap – 01 number</u></p> <p>Standard (Plain) Rotary Taper Tap as per the following minimum specification:</p>		

	<ol style="list-style-type: none"> 1. Rotary Taper Taps should be furnished with hardened wickers, designed to engage even the most difficult fish. 2. The wickers should be fluted type 3. Outside Diameter of Largest Wicker: 4.00 inches (101.60 mm) 4. Outside Diameter of Smallest Wicker: 2.00 inches (50.80 mm) 5. Length of Wickers: 36 inches (914.40 mm) 6. Tong Space: 12 inches (304.80 mm) 7. Taper per foot to be as per manufacturer's design 8. Watercourse to be provided as per manufacturer's design 9. Fish Neck Outside Diameter: 6.1/2 inches 10. Top Thread Connection: 4.1/2 inches API IF (NC-50) 		
<p>Clause B (Item Number 20)</p>	<p><u>Standard Rotary Tap – 01 number</u></p> <p>Standard (Plain) Rotary Taper Tap as per the following minimum specification:</p> <ol style="list-style-type: none"> 1. Rotary Taper Taps should be furnished with hardened wickers, designed to engage even the most difficult fish. 2. The wickers should be fluted type 3. Outside Diameter of Largest Wicker: 6.50 inches (165.10 mm) 4. Outside Diameter of Smallest Wicker: 4.00 inches (101.60 mm) 5. Length of Wickers: 36 inches (914.40 mm) 		

	<p>6. Tong Space: 12 inches (304.80 mm)</p> <p>7. Taper per foot to be as per manufacturer's design</p> <p>8. Watercourse to be provided as per manufacturer's design</p> <p>9. Fish Neck Outside Diameter: 6.1/2 inches</p> <p>10. Top Thread Connection: 4.1/2 inches API IF (NC-50)</p>		
<p>Clause A (Item Number 30)</p>	<p><u>Wire Line Spear – 04 numbers</u></p> <p>Standard Wire Line Spear as per the following minimum specification:</p> <ol style="list-style-type: none"> 1. The Wire Line Spear should feature a centre prong extending downwards. Pointed barbs should be welded to the prong so that hooks are formed in order to catch the looped end of any broken wire. 2. The Wire Line Spear should also feature a Stop Ring (Outside Diameter: 4.25 inches), fitted to the prong. 3. The diameter of the prong ends of the Spear to be just below the diameter of the Stop Ring. 4. Watercourse to be provided as per manufacturer's design. 5. Neck Outside Diameter: 3.3/4 inches 6. Top Thread Connection: 2.7/8 inches API Regular 		
<p>Clause A (Item Number 40)</p>	<p><u>Wire Line Spear – 02 numbers</u></p> <p>Standard Wire Line Spear as per the following minimum specification:</p> <ol style="list-style-type: none"> 1. The Wire Line Spear should feature a centre prong extending downwards. Pointed barbs should be welded to the prong so that hooks 		

	<p>are formed in order to catch the looped end of any broken wire.</p> <p>2. The Wire Line Spear should also feature a Stop Ring (Outside Diameter: 8.0 inches), fitted to the prong.</p> <p>3. The diameter of the prong ends of the Spear to be just below the diameter of the Stop Ring.</p> <p>4. Watercourse to be provided as per manufacturer's design.</p> <p>5. Neck Outside Diameter: 6.1/2 inches</p> <p>6. Top Thread Connection: 4.1/2 inches API IF (NC-50)</p>		
	SPECIAL NOTES TO BIDDERS		
1	The items shall be brand new, unused & of prime quality. The manufacturer shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications. This clause shall be valid for 18 months from date of dispatch or 12 months from the date of commissioning whichever is earlier. The defective materials, if any, rejected by OIL shall be replaced by the supplier at their own expense. Bidders must confirm the same in their quotations.		
2	Threading and gauging of the rotary shoulder connections of Rotary Taper Taps and Wire Line Spears should be as per API Spec.7-1 [latest edition]. Valid API Spec. 7-1 certificate should be forwarded with the bid.		
3	The Bidder should indicate the name of the manufacturer, the country of origin and port of dispatch of the materials.		
4	The bidder must specify the offered item in details & should forward relevant product catalogue of the offered item.		
5	Any deviation(s) from the tender specification should be clearly highlighted specifying justification in support of deviation.		
6	Bidder to sign and submit completely filled up Evaluation Matrix for Technical specification.		
7	The bidder may quote either for any one of the items or for all of the		

	items.		
8.0	In case the bidder is an authorized distributor / dealer / supply house of any Original Equipment manufacturer (OEM), then bidder must furnish the following documents:		
8.1	Authorization certificate cum warranty backup from the manufacturer in original on manufacturer's letter head should be submitted along with the offer. This certificate valid at the time of bidding and should remain valid during the entire execution period of the order. The concerned manufacturer should also guarantee of supplying the items to the bidder in the event of an order on the bidder.		
9.1	Bidder in case of Original Equipment Manufacturers (OEM) should categorically confirm in the technical bid a delivery schedule within Sixteen (16) weeks, FOB Port of dispatch, after establishment of letter of credit (in case of foreign bidder) or for dispatch of the equipment within Sixteen (16) weeks after receipt of formal order (in case of indigenous bidder) failing which their offer will be rejected.		
9.2	Bidder in case of authorized distributor / dealer / supply house of any Original Equipment Manufacturer (OEM) should categorically confirm in the technical bid a delivery schedule within Sixteen (16) weeks, FOB Port of dispatch, after establishment of letter of credit (in case of foreign bidder) or for dispatch of the equipment within Sixteen (16) weeks after receipt of formal order (in case of indigenous bidder) failing which their offer will be rejected.		

* Remarks: to be filled in, if any. Additionally, Bidders are required to Fill-in and submit Format – A “No Deviation Confirmation”, without which the offer shall be treated as incomplete and liable for rejection.

Place:
Date:

[Signature of Authorized Signatory of Bidder]
Name:
Designation:
Seal:

NO DEVIATION CONFIRMATION

Ref. No. _____

Date: _____

From: _____(Insert name and address of Bidding Entity)

Tel.:

Fax:

E-mail address:

To

GM (MATERIALS)
MATERIALS DEPARTMENT
OIL INDIA LIMITED
DULIAJAN
District : DIBRUGARH (Assam)
PIN 786602

Sub: Bid for

“

”

—

Tender No :

Dear Sir,

We understand that any 'deviation / exception' in any form may result in rejection of Bid. We, therefore, certify that we have not taken any 'exception / deviation' anywhere in the Bid and we agree that if any 'deviation / exception' is mentioned or noticed, our Bid may be rejected.

Place:

[Signature of Authorized Signatory of Bidder]

Date:

Name:

Designation:

Seal:

**Format of undertaking by Bidders towards submission of authentic information/documents
(To be typed on the letter head of the bidder)**

Ref. No _____

Date _____

Sub: Undertaking of authenticity of information/documents submitted

Ref: Your tender No. _____ Dated _____

To,
The HOD-Materials
Materials Deptt,
OIL, Duliajan

Sir,

With reference to our quotation against your above-referred tender, we hereby undertake that no fraudulent information/documents have been submitted by us.

We take full responsibility for the submission of authentic information/documents against the above cited bid.

We also agree that, during any stage of the tender/contract agreement, in case any of the information/documents submitted by us are found to be false/forged/fraudulent, OIL has right to reject our bid at any stage including forfeiture of our EMD and/or PBG and/or cancel the award of contract and/or carry out any other penal action on us, as deemed fit.

Yours faithfully,
For (type name of the firm here)

Signature of Authorised Signatory

Name :

Designation :

Phone No.

Place :

Date :

(Affix Seal of the Organization here, if applicable)

-----End of Document-----