



**AMENDMENT NO. 3 DATED 06.10.2021 TO TENDER NO.  
SDG8141L22/07 dated 30.08.2021**

1.0 This Amendment no. 3 dated 06.10.2021 to tender no. SDG8141L22/07 is issued –

(i) To amend the following clauses of the tender –

Item No. Clause. No.	Existing clause	Amended clause
<b>Annexure B Item No. 10 Clause 1A (5)</b>	Furnished and installed with nitrile packing element (API 16A Compound Type = Buna N, NBR etc.) 13.5/8-inch x 10000 psi working pressure.  Note: Manufacturer must use their own packing elements, designed and manufactured in-house (with complete control on the design, manufacturing & compound), verified as per API-16A (latest edition) and should submit certificate of compliance for the packing elements along with the supply. The bidder should categorically confirm compliance of the same in the technical bid.	Furnished and installed with nitrile packing Element (API 16A Compound Type = Buna N, NBR etc.) 13.5/8-inch x 10000 psi working pressure.  Note: Manufacturer must use their own packing elements, designed and manufactured in-house (with complete control on the design, manufacturing & compound), verified as per API-16A (latest edition) and should submit certificate of compliance for the packing elements along with the supply. The bidder should categorically confirm compliance of the same in the technical bid.  <b>OR</b> <b>BOP Manufacturer must use packing elements, designed and manufactured by third party specialist in accordance with the BOP manufacturer's written specification. The packing elements should be verified as per API-16A (latest edition) and the manufacturer (of the BOP) should submit certificate of compliance for the packing elements along with the supply. The bidder should categorically confirm compliance of the same in the technical bid.</b>
<b>Annexure B Item No. 10 Clause 1A (9) (iii)</b>	Twenty (20) numbers of studs with hexagonal nuts for top flange.	Twenty (20) numbers of studs with hexagonal nuts for <b>studded top</b> .
<b>Annexure B Item No. 10 Clause 1A (10)</b>	Equipment shall be designed as per API 16 A to operate within temperature rating for metallic material T-20 and for non-metallic sealing material shall be "FBC".	Equipment shall be designed as per API 16 A to operate within temperature rating for metallic material <b>T-20/250</b> and for non-metallic sealing material shall be "FBC".

<p><b>Annexure B Item No. 20 Clause 2A (8)</b></p>	<p>The ram packers should be featured with self-feeding mechanism along with a large reserve of elastomer for ensuring a long-lasting seal under all conditions.</p> <p>Note: Manufacturer must use their own RAM elastomers, designed and manufactured in-house (with complete control on the design, manufacturing &amp; compound), verified as per API-16A (latest edition) and should submit certificate of compliance for the RAM elastomers along with the supply. The bidder should categorically confirm compliance of the same in the technical bid.</p>	<p>The ram packers should be featured with self-feeding mechanism along with a large reserve of elastomer for ensuring a long-lasting seal under all conditions.</p> <p>Note: Manufacturer must use their own RAM elastomers, designed and manufactured in-house (with complete control on the design, manufacturing &amp; compound), verified as per API-16A (latest edition) and should submit certificate of compliance for the RAM elastomers along with the supply. The bidder should categorically confirm compliance of the same in the technical bid.</p> <p><b>OR</b></p> <p><b>BOP Manufacturer must use RAM elastomers, designed and manufactured by third party specialist in accordance with the BOP manufacturer's written specification. The packing elements should be verified as per API-16A (latest edition) and the manufacturer (of the BOP) should submit certificate of compliance for the RAM elastomers along with the supply. The bidder should categorically confirm compliance of the same in the technical bid.</b></p>
<p><b>Annexure B Item No. 20 Clause 2A (12)</b></p>	<p>Equipment shall be designed as per API 16 A to operate within temperature rating for metallic material T-20 and for non-metallic sealing material shall be "BCD".</p>	<p>Equipment shall be designed as per API 16 A to operate within temperature rating for metallic material <b>T-20/250</b> and for non-metallic sealing material shall be "BCD".</p>

- (ii) To amend the **PERFORMANCE SECURITY FORM (PROFORMA - 3)**. Amended PERFORMANCE SECURITY FORM (PROFORMA - 3) is attached as **ANNEXURE – I** to this amendment. Also, the Note to the Proforma stands deleted.

2.0 All other terms and conditions of the tender remain unchanged.

(T. ROY)

Sd/-

**CHIEF MANAGER MATERIALS (FD)  
FOR GENERAL MANAGER - MATERIALS (HoD)  
FOR RESIDENT CHIEF EXECUTIVE**

**FORM FOR PERFORMANCE BANK GUARANTEE**

To,

M/s. Oil India Limited  
-----  
-----

WHEREAS \_\_\_\_\_ (Name and address of Contractor) (hereinafter called “Contractor”) had undertaken, in pursuance of Contact No. \_\_\_\_\_ to execute (Name of Contract and Brief Description of the Work) \_\_\_\_\_ (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee as security for compliance with Contractor’s obligations in accordance with the Contract.

AND WHEREAS we (May incorporate the Bank Name) have agreed to give the Contractor such a Bank Guarantee; NOW THEREFORE we hereby affirm that we are Guarantors on behalf of the Contractor, up to a total of (Amount of Guarantee in figures) \_\_\_\_\_ (in words \_\_\_\_\_), such amount being payable in the types and proportions of currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or arguments, any sum or sums within the limits of guarantee sum as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or the work to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way cease us from any liability under this guarantee, and we hereby waive notice of such change, addition or modification.

This guarantee is valid until the \_\_\_\_\_ day of \_\_\_\_\_

The details of the Issuing Bank and Controlling Bank are as under:

- A. Issuing Bank:  
BANK FAX NO:  
BANK EMAIL ID:  
BANK TELEPHONE NO:  
IFSC CODE OF THE BANK:

- B. Controlling Office:

Address of the Controlling Office of the BG issuing Bank:

Name of the Contract Person at the Controlling Office with Mobile No. and e-mail address:

Notwithstanding anything contained herein:

- a) Our liability under this Bank Guarantee shall is restricted up to Rs.....
- b) This guarantee shall be valid till .....

- c) We are liable to pay the guarantee amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before .....(Date of Expiry of BG PLUS one year claim period).
  
- d) At the end of the claim period that is on or after ..... (Date of expiry of the Bank Guarantee Plus Minimum of 1 year claim period shall be stipulated) all your rights under this Guarantee shall stand extinguished and we shall be discharged from all our liabilities under this Guarantee irrespective of receipt of original Bank Guarantee duly discharged, by Bank.

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS \_\_\_\_\_  
Designation \_\_\_\_\_  
Name of the Bank \_\_\_\_\_  
Address \_\_\_\_\_